


MEUS - Radial Metallized Polyester Film Caps- Stacked & Uncoated

Film Cap/MEUS

Specifications			
Operating Temp. Range	-55°C to 125°C		
Rated Working Volt. Range	63 to 1000 VDC		
Capacitance Range	0.001μF to 10.0μF		
tan δ	Max. 1.0% (@1KHz, 25°C)		
Tolerance	K=±10% (J=±5%, M=±20% available upon request)		

RoHS Compliant

Film Cap/MEUS

Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)					Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)					
			W max.	H max.	T max.	P	d				W max.	H max.	T max.	P	d	
Pitch=5mm																
MEUS102K63-6.5P5S	63	0.0010	6.5	3.9	2.0	5.0	0.5	MEUS393K63-6.5P5S	63	0.039	6.5	4.7	2.7	5.0	0.5	
MEUS122K63-6.5P5S		0.0012	6.5	4.0	2.2	5.0	0.5	MEUS473K63-6.5P5S		0.047	6.5	4.0	2.0	5.0	0.5	
MEUS152K63-6.5P5S		0.0015	6.5	5.0	2.2	5.0	0.5	MEUS563K63-6.5P5S		0.056	6.5	4.1	2.2	5.0	0.5	
MEUS182K63-6.5P5S		0.0018	6.5	4.9	2.5	5.0	0.5	MEUS683K63-6.5P5S		0.068	6.5	4.1	2.5	5.0	0.5	
MEUS222K63-6.5P5S		0.0022	6.5	4.7	2.2	5.0	0.5	MEUS823K63-6.5P5S		0.082	6.5	4.4	2.7	5.0	0.5	
MEUS272K63-6.5P5S		0.0027	6.5	4.7	2.5	5.0	0.5	MEUS104K63-6.5P5S		0.10	6.5	3.8	2.0	5.0	0.5	
MEUS332K63-6.5P5S		0.0033	6.5	5.2	2.7	5.0	0.5	MEUS124K63-6.5P5S		0.12	6.5	3.9	2.2	5.0	0.5	
MEUS392K63-6.5P5S		0.0039	6.5	3.8	2.0	5.0	0.5	MEUS154K63-6.5P5S		0.15	6.5	4.8	2.2	5.0	0.5	
MEUS472K63-6.5P5S		0.0047	6.5	3.9	2.2	5.0	0.5	MEUS184K63-6.5P5S		0.18	6.5	4.9	2.4	5.0	0.5	
MEUS562K63-6.5P5S		0.0056	6.5	4.6	2.2	5.0	0.5	MEUS224K63-6.5P5S		0.22	6.5	4.2	2.5	5.0	0.5	
MEUS682K63-6.5P5S		0.0068	6.5	4.6	2.5	5.0	0.5	MEUS274K63-6.5P5S		0.27	6.5	4.6	2.7	5.0	0.5	
MEUS822K63-6.5P5S		0.0082	6.5	5.0	2.7	5.0	0.5	MEUS334K63-6.5P5S		0.33	6.5	5.1	2.9	5.0	0.5	
MEUS103K63-6.5P5S		0.010	6.5	3.7	2.0	5.0	0.5	MEUS394K63-6.5P5S		0.39	6.5	5.2	3.2	5.0	0.5	
MEUS123K63-6.5P5S		0.012	6.5	4.1	2.0	5.0	0.5	MEUS474K63-6.5P5S		0.47	6.5	5.2	3.7	5.0	0.5	
MEUS153K63-6.5P5S		0.015	6.5	3.6	2.5	5.0	0.5	MEUS564K63-6.5P5S		0.56	6.5	7.4	3.2	5.0	0.5	
MEUS183K63-6.5P5S		0.018	6.5	4.3	2.5	5.0	0.5	MEUS684K63-6.5P5S		0.68	6.5	7.5	3.7	5.0	0.5	
MEUS223K63-6.5P5S		0.022	6.5	4.2	2.0	5.0	0.5	MEUS824K63-6.5P5S		0.82	6.5	7.7	4.2	5.0	0.5	
MEUS273K63-6.5P5S		0.027	6.5	4.4	2.4	5.0	0.5	MEUS105K63-6.5P5S		1.0	6.5	8.4	4.7	5.0	0.5	
MEUS333K63-6.5P5S		0.033	6.5	4.4	2.5	5.0	0.5									
MEUS102K100-6.5P5S	100	0.0010	6.5	3.9	2.0	5.0	0.5	MEUS393K100-6.5P5S	100	0.039	6.5	4.7	2.7	5.0	0.5	
MEUS122K100-6.5P5S		0.0012	6.5	4.0	2.2	5.0	0.5	MEUS473K100-6.5P5S		0.047	6.5	4.0	2.0	5.0	0.5	
MEUS152K100-6.5P5S		0.0015	6.5	5.0	2.2	5.0	0.5	MEUS5100K100-6.5P5S		0.056	6.5	4.1	2.2	5.0	0.5	
MEUS182K100-6.5P5S		0.0018	6.5	4.9	2.5	5.0	0.5	MEUS683K100-6.5P5S		0.068	6.5	4.1	2.5	5.0	0.5	
MEUS222K100-6.5P5S		0.0022	6.5	4.7	2.2	5.0	0.5	MEUS823K100-6.5P5S		0.082	6.5	4.4	2.7	5.0	0.5	
MEUS272K100-6.5P5S		0.0027	6.5	4.7	2.5	5.0	0.5	MEUS104K100-6.5P5S		0.10	6.5	3.8	2.0	5.0	0.5	
MEUS332K100-6.5P5S		0.0033	6.5	5.2	2.7	5.0	0.5	MEUS124K100-6.5P5S		0.12	6.5	3.9	2.2	5.0	0.5	
MEUS392K100-6.5P5S		0.0039	6.5	3.8	2.0	5.0	0.5	MEUS154K100-6.5P5S		0.15	6.5	4.8	2.2	5.0	0.5	
MEUS472K100-6.5P5S		0.0047	6.5	3.9	2.2	5.0	0.5	MEUS184K100-6.5P5S		0.18	6.5	4.9	2.4	5.0	0.5	
MEUS562K100-6.5P5S		0.0056	6.5	4.6	2.2	5.0	0.5	MEUS224K100-6.5P5S		0.22	6.5	4.7	2.9	5.0	0.5	
MEUS682K100-6.5P5S		0.0068	6.5	4.6	2.5	5.0	0.5	MEUS274K100-6.5P5S		0.27	6.5	5.0	3.2	5.0	0.5	
MEUS822K100-6.5P5S		0.0082	6.5	5.0	2.7	5.0	0.5	MEUS334K100-6.5P5S		0.33	6.5	5.1	3.7	5.0	0.5	
MEUS103K100-6.5P5S		0.010	6.5	3.7	2.0	5.0	0.5	MEUS394K100-6.5P5S		0.39	6.5	7.2	3.2	5.0	0.5	
MEUS123K100-6.5P5S		0.012	6.5	4.1	2.0	5.0	0.5	MEUS474K100-6.5P5S		0.47	6.5	7.2	3.7	5.0	0.5	
MEUS153K100-6.5P5S		0.015	6.5	3.6	2.5	5.0	0.5	MEUS564K100-6.5P5S		0.56	6.5	7.3	4.2	5.0	0.5	
MEUS183K100-6.5P5S		0.018	6.5	4.3	2.5	5.0	0.5	MEUS684K100-6.5P5S		0.68	6.5	7.9	4.7	5.0	0.5	
MEUS223K100-6.5P5S		0.022	6.5	4.2	2.0	5.0	0.5	MEUS824K100-6.5P5S		0.82	6.5	8.2	5.3	5.0	0.5	

Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)					Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)				
			W max.	H max.	T max.	P	d				W max.	H max.	T max.	P	d
MEUS273K100-6.5P5S	100	0.027	6.5	4.4	2.4	5.0	0.5	MEUS105K100-6.5P5S	100	1.0	6.5	8.5	5.7	5.0	0.5
MEUS333K100-6.5P5S		0.033	6.5	4.4	2.5	5.0	0.5								
MEUS102K250-6.5P5S	250	0.0010	6.5	3.9	2.0	5.0	0.5	MEUS153K250-6.5P5S	250	0.015	6.5	3.6	2.5	5.0	0.5
MEUS122K250-6.5P5S		0.0012	6.5	4.0	2.2	5.0	0.5	MEUS183K250-6.5P5S		0.018	6.5	4.3	2.5	5.0	0.5
MEUS152K250-6.5P5S		0.0015	6.5	5.0	2.2	5.0	0.5	MEUS223K250-6.5P5S		0.022	6.5	4.2	2.0	5.0	0.5
MEUS182K250-6.5P5S		0.0018	6.5	4.9	2.5	5.0	0.5	MEUS273K250-6.5P5S		0.027	6.5	4.4	2.2	5.0	0.5
MEUS222K250-6.5P5S		0.0022	6.5	4.7	2.2	5.0	0.5	MEUS333K250-6.5P5S		0.033	6.5	4.4	2.5	5.0	0.5
MEUS272K250-6.5P5S		0.0027	6.5	4.7	2.5	5.0	0.5	MEUS393K250-6.5P5S		0.039	6.5	4.7	2.7	5.0	0.5
MEUS332K250-6.5P5S		0.0033	6.5	5.2	2.7	5.0	0.5	MEUS473K250-6.5P5S		0.047	6.5	4.1	2.7	5.0	0.6
MEUS392K250-6.5P5S		0.0039	6.5	3.8	2.0	5.0	0.5	MEUS563K250-6.5P5S		0.056	6.5	4.1	2.9	5.0	0.6
MEUS472K250-6.5P5S		0.0047	6.5	3.9	2.2	5.0	0.5	MEUS683K250-6.5P5S		0.068	6.5	4.4	3.2	5.0	0.6
MEUS562K250-6.5P5S		0.0056	6.5	4.6	2.2	5.0	0.5	MEUS823K250-6.5P5S		0.082	6.5	4.7	3.5	5.0	0.6
MEUS682K250-6.5P5S		0.0068	6.5	4.6	2.5	5.0	0.5	MEUS104K250-6.5P5S		0.10	6.5	5.3	3.7	5.0	0.6
MEUS822K250-6.5P5S		0.0082	6.5	5.0	2.7	5.0	0.5	MEUS124K250-6.5P5S		0.12	6.5	6.7	3.5	5.0	0.6
MEUS103K250-6.5P5S		0.010	6.5	3.7	2.0	5.0	0.5	MEUS154K250-6.5P5S		0.15	6.5	6.7	4.2	5.0	0.6
MEUS123K250-6.5P5S		0.012	6.5	4.1	2.0	5.0	0.5								
MEUS102K400-6.5P5S	400	0.0010	6.5	3.9	2.0	5.0	0.5	MEUS123K400-6.5P5S	400	0.012	6.5	4.1	2.0	5.0	0.5
MEUS122K400-6.5P5S		0.0012	6.5	4.0	2.2	5.0	0.5	MEUS153K400-6.5P5S		0.015	6.5	4.3	2.2	5.0	0.5
MEUS152K400-6.5P5S		0.0015	6.5	5.0	2.2	5.0	0.5	MEUS183K400-6.5P5S		0.018	6.5	4.3	2.5	5.0	0.5
MEUS182K400-6.5P5S		0.0018	6.5	4.9	2.5	5.0	0.5	MEUS223K400-6.5P5S		0.022	6.5	4.7	2.7	5.0	0.5
MEUS222K400-6.5P5S		0.0022	6.5	4.7	2.2	5.0	0.5	MEUS273K400-6.5P5S		0.027	6.5	5.2	2.9	5.0	0.5
MEUS272K400-6.5P5S		0.0027	6.5	4.7	2.5	5.0	0.5	MEUS333K400-6.5P5S		0.033	6.5	5.5	3.2	5.0	0.5
MEUS332K400-6.5P5S		0.0033	6.5	5.2	2.7	5.0	0.5	MEUS393K400-6.5P5S		0.039	6.5	5.4	3.7	5.0	0.6
MEUS392K400-6.5P5S		0.0039	6.5	3.8	2.0	5.0	0.5	MEUS473K400-6.5P5S		0.047	6.5	6.9	3.5	5.0	0.6
MEUS472K400-6.5P5S		0.0047	6.5	3.9	2.2	5.0	0.5	MEUS563K400-6.5P5S		0.056	6.5	7.7	3.7	5.0	0.6
MEUS562K400-6.5P5S		0.0056	6.5	4.6	2.2	5.0	0.5	MEUS683K400-6.5P5S		0.068	6.5	7.9	4.2	5.0	0.6
MEUS682K400-6.5P5S		0.0068	6.5	4.6	2.5	5.0	0.5	MEUS823K400-6.5P5S		0.082	6.5	8.6	4.7	5.0	0.6
MEUS822K400-6.5P5S		0.0082	6.5	5.0	2.7	5.0	0.5	MEUS104K400-6.5P5S		0.10	6.5	8.3	5.7	5.0	0.5
MEUS103K400-6.5P5S		0.010	6.5	3.7	2.0	5.0	0.5								
MEUS102K630-6.5P5S		630	0.0010	6.5	3.9	2.0	5.0	0.5		MEUS392K630-6.5P5S	630	0.0039	6.5	5.5	2.9
MEUS122K630-6.5P5S	0.0012		6.5	4.0	2.2	5.0	0.5	MEUS472K630-6.5P5S	0.0047	6.5		4.9	2.5	5.0	0.5
MEUS152K630-6.5P5S	0.0015		6.5	5.0	2.2	5.0	0.5	MEUS562K630-6.5P5S	0.0056	6.5		5.2	2.7	5.0	0.5
MEUS182K630-6.5P5S	0.0018		6.5	4.9	2.5	5.0	0.5	MEUS682K630-6.5P5S	0.0068	6.5		5.0	3.2	5.0	0.5
MEUS222K630-6.5P5S	0.0022		6.5	4.7	2.2	5.0	0.5	MEUS822K630-6.5P5S	0.0082	6.5		5.4	3.5	5.0	0.5
MEUS272K630-6.5P5S	0.0027		6.5	4.7	2.5	5.0	0.5	MEUS103K630-6.5P5S	0.010	6.5		5.7	3.9	5.0	0.5
MEUS332K630-6.5P5S	0.0033		6.5	5.2	2.7	5.0	0.5	MEUS123K630-6.5P5S	0.012	6.5		7.3	3.7	5.0	0.5
MEUS102K1000-6.5P5S	1000	0.0010	6.5	3.9	2.0	5.0	0.5	MEUS392K1000-6.5P5S	1000	0.0039	6.5	5.5	2.9	5.0	0.5
MEUS122K1000-6.5P5S		0.0012	6.5	4.0	2.2	5.0	0.5	MEUS472K1000-6.5P5S		0.0047	6.5	5.8	3.2	5.0	0.5
MEUS152K1000-6.5P5S		0.0015	6.5	5.0	2.2	5.0	0.5	MEUS562K1000-6.5P5S		0.0056	6.5	5.8	3.7	5.0	0.5
MEUS182K1000-6.5P5S		0.0018	6.5	4.9	2.5	5.0	0.5	MEUS682K1000-6.5P5S		0.0068	6.5	8.4	3.2	5.0	0.5
MEUS222K1000-6.5P5S		0.0022	6.5	4.7	2.2	5.0	0.5	MEUS822K1000-6.5P5S		0.0082	6.5	8.4	3.7	5.0	0.5
MEUS272K1000-6.5P5S		0.0027	6.5	4.7	2.5	5.0	0.5	MEUS103K1000-6.5P5S		0.010	6.5	8.8	4.2	5.0	0.5
MEUS332K1000-6.5P5S		0.0033	6.5	5.2	2.7	5.0	0.5								
Pitch=7.5mm															
MEUS224K63-9P7.5S	63	0.22	9.0	4.0	2.4	7.5	0.5	MEUS155K63-9P7.5S	63	1.5	9.0	7.1	5.4	7.5	0.5
MEUS274K63-9P7.5S		0.27	9.0	4.6	2.5	7.5	0.5	MEUS185K63-9P7.5S		1.8	9.0	7.6	5.8	7.5	0.5
MEUS334K63-9P7.5S		0.33	9.0	5.1	2.7	7.5	0.5	MEUS225K63-9P7.5S		2.2	9.0	8.5	6.5	7.5	0.5

Part Number	W V (VDC)	Cap. (μ F)	Dimensions(mm)					Part Number	W V (VDC)	Cap. (μ F)	Dimensions(mm)				
			W max.	H max.	T max.	P	d				W max.	H max.	T max.	P	d
MEUS394K63-9P7.5S	63	0.39	9.0	5.9	2.7	7.5	0.5	MEUS275K63-9P7.5S	63	2.7	9.0	9.6	6.9	7.5	0.5
MEUS474K63-9P7.5S		0.47	9.0	5.2	2.7	7.5	0.5	MEUS335K63-9P7.5S		3.3	9.0	11.2	7.4	7.5	0.5
MEUS564K63-9P7.5S		0.56	9.0	6.2	2.7	7.5	0.5	MEUS395K63-9P7.5S		3.9	9.0	11.3	8.5	7.5	0.5
MEUS684K63-9P7.5S		0.68	9.0	5.9	3.2	7.5	0.5	MEUS475K63-9P7.5S		4.7	9.0	12.0	9.6	7.5	0.5
MEUS824K63-9P7.5S		0.82	9.0	5.9	3.7	7.5	0.5	MEUS565K63-9P7.5S		5.6	9.0	13.0	10.5	7.5	0.5
MEUS105K63-9P7.5S		1.0	9.0	6.2	4.3	7.5	0.5	MEUS685K63-9P7.5S		6.8	9.0	13.5	12.1	7.5	0.5
MEUS125K63-9P7.5S		1.2	9.0	6.4	4.8	7.5	0.5								
MEUS104K100-9P7.5S	100	0.10	9.0	4.1	2.4	7.5	0.5	MEUS564K100-9P7.5S	100	0.56	9.0	5.6	3.7	7.5	0.5
MEUS124K100-9P7.5S		0.12	9.0	4.2	2.7	7.5	0.5	MEUS684K100-9P7.5S		0.68	9.0	5.8	4.2	7.5	0.5
MEUS154K100-9P7.5S		0.15	9.0	5.2	2.7	7.5	0.5	MEUS824K100-9P7.5S		0.82	9.0	7.0	4.2	7.5	0.5
MEUS184K100-9P7.5S		0.18	9.0	3.8	2.2	7.5	0.5	MEUS105K100-9P7.5S		1.0	9.0	7.4	4.7	7.5	0.5
MEUS224K100-9P7.5S		0.22	9.0	4.0	2.4	7.5	0.5	MEUS125K100-9P7.5S		1.2	9.0	7.4	5.5	7.5	0.5
MEUS274K100-9P7.5S		0.27	9.0	4.2	2.7	7.5	0.5	MEUS155K100-9P7.5S		1.5	9.0	8.0	6.3	7.5	0.5
MEUS334K100-9P7.5S		0.33	9.0	5.1	2.7	7.5	0.5	MEUS185K100-9P7.5S		1.8	9.0	9.7	6.2	7.5	0.5
MEUS394K100-9P7.5S		0.39	9.0	5.9	2.7	7.5	0.5	MEUS225K100-9P7.5S		2.2	9.0	10.3	7.2	7.5	0.5
MEUS474K100-9P7.5S		0.47	9.0	5.7	3.2	7.5	0.5								
MEUS333K250-9P7.5S	250	0.033	9.0	3.5	2.2	7.5	0.5	MEUS124K250-9P7.5S	250	0.12	9.0	5.0	3.2	7.5	0.5
MEUS393K250-9P7.5S		0.039	9.0	4.1	2.2	7.5	0.5	MEUS154K250-9P7.5S		0.15	9.0	5.2	3.7	7.5	0.5
MEUS473K250-9P7.5S		0.047	9.0	4.1	2.5	7.5	0.5	MEUS184K250-9P7.5S		0.18	9.0	5.8	3.9	7.5	0.5
MEUS563K250-9P7.5S		0.056	9.0	4.6	2.7	7.5	0.5	MEUS224K250-9P7.5S		0.22	9.0	6.4	4.2	7.5	0.5
MEUS683K250-9P7.5S		0.068	9.0	5.6	2.7	7.5	0.5	MEUS274K250-9P7.5S		0.27	9.0	6.8	4.7	7.5	0.5
MEUS823K250-9P7.5S		0.082	9.0	4.3	2.7	7.5	0.5	MEUS334K250-9P7.5S		0.33	9.0	6.9	5.5	7.5	0.5
MEUS104K250-9P7.5S		0.10	9.0	4.6	3.0	7.5	0.5								
MEUS102K400-9P7.5S	400	0.0010	9.0	3.7	2.0	7.5	0.5	MEUS153K400-9P7.5S	400	0.015	9.0	4.5	2.5	7.5	0.5
MEUS122K400-9P7.5S		0.0012	9.0	3.7	2.0	7.5	0.5	MEUS183K400-9P7.5S		0.018	9.0	3.7	2.2	7.5	0.5
MEUS152K400-9P7.5S		0.0015	9.0	4.0	2.2	7.5	0.5	MEUS223K400-9P7.5S		0.022	9.0	4.2	2.2	7.5	0.5
MEUS182K400-9P7.5S		0.0018	9.0	4.7	2.2	7.5	0.5	MEUS273K400-9P7.5S		0.027	9.0	4.2	2.5	7.5	0.5
MEUS222K400-9P7.5S		0.0022	9.0	3.7	2.2	7.5	0.5	MEUS333K400-9P7.5S		0.033	9.0	4.6	2.7	7.5	0.5
MEUS272K400-9P7.5S		0.0027	9.0	4.6	2.2	7.5	0.5	MEUS393K400-9P7.5S		0.039	9.0	5.4	2.7	7.5	0.5
MEUS332K400-9P7.5S		0.0033	9.0	3.8	2.2	7.5	0.5	MEUS473K400-9P7.5S		0.047	9.0	6.1	2.8	7.5	0.5
MEUS392K400-9P7.5S		0.0039	9.0	3.9	2.2	7.5	0.5	MEUS563K400-9P7.5S		0.056	9.0	6.1	3.2	7.5	0.5
MEUS472K400-9P7.5S		0.0047	9.0	4.7	2.2	7.5	0.5	MEUS683K400-9P7.5S		0.068	9.0	6.1	3.7	7.5	0.5
MEUS562K400-9P7.5S		0.0056	9.0	3.7	2.2	7.5	0.5	MEUS823K400-9P7.5S		0.082	9.0	6.3	4.2	7.5	0.5
MEUS682K400-9P7.5S		0.0068	9.0	4.5	2.2	7.5	0.5	MEUS104K400-9P7.5S		0.10	9.0	7.2	4.4	7.5	0.5
MEUS822K400-9P7.5S		0.0082	9.0	4.5	2.5	7.5	0.5	MEUS124K400-9P7.5S		0.12	9.0	7.1	5.2	7.5	0.5
MEUS103K400-9P7.5S		0.010	9.0	4.0	2.2	7.5	0.5	MEUS154K400-9P7.5S		0.15	9.0	7.9	5.7	7.5	0.5
MEUS123K400-9P7.5S		0.012	9.0	4.4	2.2	7.5	0.5								
MEUS102K630-9P7.5S	630	0.0010	9.0	3.7	2.0	7.5	0.5	MEUS822K630-9P7.5S	630	0.0082	9.0	6.1	2.7	7.5	0.5
MEUS122K630-9P7.5S		0.0012	9.0	3.7	2.0	7.5	0.5	MEUS103K630-9P7.5S		0.010	9.0	6.2	3.2	7.5	0.5
MEUS152K630-9P7.5S		0.0015	9.0	4.0	2.2	7.5	0.5	MEUS123K630-9P7.5S		0.012	9.0	5.8	3.7	7.5	0.5
MEUS182K630-9P7.5S		0.0018	9.0	4.7	2.2	7.5	0.5	MEUS153K630-9P7.5S		0.015	9.0	6.2	4.2	7.5	0.5
MEUS222K630-9P7.5S		0.0022	9.0	3.7	2.2	7.5	0.5	MEUS183K630-9P7.5S		0.018	9.0	7.4	4.2	7.5	0.5
MEUS272K630-9P7.5S		0.0027	9.0	4.0	2.4	7.5	0.5	MEUS223K630-9P7.5S		0.022	9.0	7.9	4.7	7.5	0.5
MEUS332K630-9P7.5S		0.0033	9.0	3.8	2.2	7.5	0.5	MEUS273K630-9P7.5S		0.027	9.0	7.8	5.7	7.5	0.5
MEUS392K630-9P7.5S		0.0039	9.0	3.9	2.2	7.5	0.5	MEUS333K630-9P7.5S		0.033	9.0	9.5	5.7	7.5	0.5
MEUS472K630-9P7.5S		0.0047	9.0	4.1	2.4	7.5	0.5	MEUS393K630-9P7.5S		0.039	9.0	10.2	6.3	7.5	0.5
MEUS562K630-9P7.5S		0.0056	9.0	4.6	2.5	7.5	0.5	MEUS473K630-9P7.5S		0.047	9.0	11.2	6.8	7.5	0.5

Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)					Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)				
			W max.	H max.	T max.	P	d				W max.	H max.	T max.	P	d
MEUS682K630-9P7.5S	630	0.0068	9.0	5.0	2.7	7.5	0.5								
MEUS102K1000-9P7.5S	1000	0.0010	9.0	3.7	2.0	7.5	0.5	MEUS682K1000-9P7.5S	1000	0.0068	9.0	6.7	3.2	7.5	0.5
MEUS122K1000-9P7.5S		0.0012	9.0	3.7	2.0	7.5	0.5	MEUS822K1000-9P7.5S		0.0082	9.0	6.7	3.7	7.5	0.5
MEUS152K1000-9P7.5S		0.0015	9.0	4.0	2.2	7.5	0.5	MEUS103K1000-9P7.5S		0.010	9.0	7.0	4.2	7.5	0.5
MEUS182K1000-9P7.5S		0.0018	9.0	4.7	2.2	7.5	0.5	MEUS123K1000-9P7.5S		0.012	9.0	7.3	4.7	7.5	0.5
MEUS222K1000-9P7.5S		0.0022	9.0	3.7	2.2	7.5	0.5	MEUS153K1000-9P7.5S		0.015	9.0	8.1	5.2	7.5	0.5
MEUS272K1000-9P7.5S		0.0027	9.0	4.6	2.2	7.5	0.5	MEUS183K1000-9P7.5S		0.018	9.0	9.7	5.2	7.5	0.5
MEUS332K1000-9P7.5S		0.0033	9.0	4.6	2.5	7.5	0.5	MEUS223K1000-9P7.5S		0.022	9.0	10.6	5.7	7.5	0.5
MEUS392K1000-9P7.5S		0.0039	9.0	4.9	2.7	7.5	0.5	MEUS273K1000-9P7.5S		0.027	9.0	11.8	6.3	7.5	0.5
MEUS472K1000-9P7.5S		0.0047	9.0	5.8	2.7	7.5	0.5	MEUS333K1000-9P7.5S		0.033	9.0	13.2	6.8	7.5	0.5
MEUS562K1000-9P7.5S		0.0056	9.0	5.5	3.2	7.5	0.5								
Pitch=10mm															
MEUS334K100-11.5P10S	100	0.33	11.5	4.0	2.5	10.0	0.5	MEUS105K100-11.5P10S	100	1.0	11.5	5.9	4.2	10.0	0.5
MEUS394K100-11.5P10S		0.39	11.5	4.7	2.5	10.0	0.5	MEUS125K100-11.5P10S		1.2	11.5	7.1	4.2	10.0	0.5
MEUS474K100-11.5P10S		0.47	11.5	5.0	2.7	10.0	0.5	MEUS155K100-11.5P10S		1.5	11.5	7.7	4.7	10.0	0.5
MEUS564K100-11.5P10S		0.56	11.5	4.7	3.2	10.0	0.5	MEUS185K100-11.5P10S		1.8	11.5	8.3	5.2	10.0	0.5
MEUS684K100-11.5P10S		0.68	11.5	5.7	3.2	10.0	0.5	MEUS225K100-11.5P10S		2.2	11.5	9.1	5.7	10.0	0.5
MEUS824K100-11.5P10S		0.82	11.5	5.7	3.7	10.0	0.5								
MEUS473K250-11.5P10S	250	0.047	11.5	3.8	2.2	10.0	0.5	MEUS184K250-11.5P10S	250	0.18	11.5	5.2	3.2	10.0	0.5
MEUS563K250-11.5P10S		0.056	11.5	4.1	2.2	10.0	0.5	MEUS224K250-11.5P10S		0.22	11.5	5.3	3.7	10.0	0.5
MEUS683K250-11.5P10S		0.068	11.5	4.1	2.5	10.0	0.5	MEUS274K250-11.5P10S		0.27	11.5	5.5	4.2	10.0	0.5
MEUS823K250-11.5P10S		0.082	11.5	4.4	2.7	10.0	0.5	MEUS334K250-11.5P10S		0.33	11.5	6.1	4.5	10.0	0.5
MEUS104K250-11.5P10S		0.10	11.5	5.4	2.7	10.0	0.5	MEUS394K250-11.5P10S		0.39	11.5	6.5	4.9	10.0	0.5
MEUS124K250-11.5P10S		0.12	11.5	5.1	3.2	10.0	0.5	MEUS474K250-11.5P10S		0.47	11.5	7.5	5.2	10.0	0.5
MEUS154K250-11.5P10S		0.15	11.5	6.4	3.2	10.0	0.5								
MEUS103K400-11.5P10S	400	0.010	11.5	3.9	2.2	10.0	0.5	MEUS563K400-11.5P10S	400	0.056	11.5	5.4	2.7	10.0	0.5
MEUS123K400-11.5P10S		0.012	11.5	4.4	2.2	10.0	0.5	MEUS683K400-11.5P10S		0.068	11.5	5.2	3.2	10.0	0.5
MEUS153K400-11.5P10S		0.015	11.5	4.5	2.5	10.0	0.5	MEUS823K400-11.5P10S		0.082	11.5	6.2	3.2	10.0	0.5
MEUS183K400-11.5P10S		0.018	11.5	4.8	2.7	10.0	0.5	MEUS104K400-11.5P10S		0.10	11.5	6.2	3.7	10.0	0.5
MEUS223K400-11.5P10S		0.022	11.5	4.6	2.5	10.0	0.5	MEUS124K400-11.5P10S		0.12	11.5	6.4	4.2	10.0	0.5
MEUS273K400-11.5P10S		0.027	11.5	5.6	2.5	10.0	0.5	MEUS154K400-11.5P10S		0.15	11.5	6.9	4.7	10.0	0.5
MEUS333K400-11.5P10S		0.033	11.5	4.3	2.2	10.0	0.5	MEUS184K400-11.5P10S		0.18	11.5	7.5	5.2	10.0	0.5
MEUS393K400-11.5P10S		0.039	11.5	4.2	2.5	10.0	0.5	MEUS224K400-11.5P10S		0.22	11.5	8.2	5.7	10.0	0.5
MEUS473K400-11.5P10S		0.047	11.5	4.5	2.7	10.0	0.5								
Pitch=15mm															
MEUS105K100-16.5P15S	100	1.0	16.5	6.1	3.2	15.0	0.6	MEUS395K100-16.5P15S	100	3.9	16.5	10.5	6.2	15.0	0.6
MEUS125K100-16.5P15S		1.2	16.5	5.9	3.7	15.0	0.6	MEUS475K100-16.5P15S		4.7	16.5	10.8	7.0	15.0	0.6
MEUS155K100-16.5P15S		1.5	16.5	6.6	4.2	15.0	0.6	MEUS565K100-16.5P15S		5.6	16.5	11.9	7.5	15.0	0.6
MEUS185K100-16.5P15S		1.8	16.5	7.5	4.4	15.0	0.6	MEUS685K100-16.5P15S		6.8	16.5	12.4	8.5	15.0	0.6
MEUS225K100-16.5P15S		2.2	16.5	7.5	5.2	15.0	0.6	MEUS825K100-16.5P15S		8.2	16.5	13.1	9.7	15.0	0.6
MEUS275K100-16.5P15S		2.7	16.5	8.5	5.5	15.0	0.6	MEUS106K100-16.5P15S		10	16.5	14.5	10.6	15.0	0.6
MEUS335K100-16.5P15S		3.3	16.5	9.3	6.0	15.0	0.6								
MEUS224K250-16.5P15S	250	0.22	16.5	4.6	3.2	15.0	0.6	MEUS105K250-16.5P15S	250	1.0	16.5	9.6	6.0	15.0	0.6
MEUS274K250-16.5P15S		0.27	16.5	5.6	3.2	15.0	0.6	MEUS125K250-16.5P15S		1.2	16.5	10.0	6.7	15.0	0.6
MEUS334K250-16.5P15S		0.33	16.5	5.6	3.7	15.0	0.6	MEUS155K250-16.5P15S		1.5	16.5	11.8	7.0	15.0	0.6
MEUS394K250-16.5P15S		0.39	16.5	6.6	3.7	15.0	0.6	MEUS185K250-16.5P15S		1.8	16.5	13.1	7.5	15.0	0.6
MEUS474K250-16.5P15S		0.47	16.5	6.7	4.2	15.0	0.6	MEUS225K250-16.5P15S		2.2	16.5	12.8	9.0	15.0	0.6

Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)					Part Number	W V (VDC)	Cap. (μF)	Dimensions(mm)				
			W max.	H max.	T max.	P	d				W max.	H max.	T max.	P	d
MEUS564K250-16.5P15S	250	0.56	16.5	6.8	4.7	15.0	0.6	MEUS275K250-16.5P15S	250	2.7	16.5	13.9	10.2	15.0	0.6
MEUS684K250-16.5P15S		0.68	16.5	7.3	5.5	15.0	0.6	MEUS335K250-16.5P15S		3.3	16.5	15.3	11.2	15.0	0.6
MEUS824K250-16.5P15S		0.82	16.5	8.8	5.5	15.0	0.6								
MEUS473K400-16.5P15S	400	0.047	16.5	4.1	2.4	15.0	0.6	MEUS274K400-16.5P15S	400	0.27	16.5	7.6	5.5	15.0	0.6
MEUS563K400-16.5P15S		0.056	16.5	4.0	2.7	15.0	0.6	MEUS334K400-16.5P15S		0.33	16.5	8.5	5.9	15.0	0.6
MEUS683K400-16.5P15S		0.068	16.5	4.3	2.9	15.0	0.6	MEUS394K400-16.5P15S		0.39	16.5	9.4	6.2	15.0	0.6
MEUS823K400-16.5P15S		0.082	16.5	4.5	3.2	15.0	0.6	MEUS474K400-16.5P15S		0.47	16.5	9.8	7.0	15.0	0.6
MEUS104K400-16.5P15S		0.10	16.5	5.5	3.2	15.0	0.6	MEUS564K400-16.5P15S		0.56	16.5	10.7	7.5	15.0	0.6
MEUS124K400-16.5P15S		0.12	16.5	5.3	3.7	15.0	0.6	MEUS684K400-16.5P15S		0.68	16.5	11.2	8.5	15.0	0.6
MEUS154K400-16.5P15S		0.15	16.5	6.2	3.9	15.0	0.6	MEUS824K400-16.5P15S		0.82	16.5	12.6	9.0	15.0	0.6
MEUS184K400-16.5P15S		0.18	16.5	6.7	4.2	15.0	0.6	MEUS105K400-16.5P15S		1.0	16.5	13.6	10.2	15.0	0.6
MEUS224K400-16.5P15S		0.22	16.5	7.1	4.7	15.0	0.6								
MEUS104K630-16.5P15S	630	0.10	16.5	9.2	5.0	15.0	0.6	MEUS274K630-16.5P15S	630	0.27	16.5	14.3	8.2	15.0	0.6
MEUS124K630-16.5P15S		0.12	16.5	9.8	5.8	15.0	0.6	MEUS334K630-16.5P15S		0.33	16.5	14.4	9.9	15.0	0.6
MEUS154K630-16.5P15S		0.15	16.5	11.2	6.2	15.0	0.6	MEUS394K630-16.5P15S		0.39	16.5	15.2	10.9	15.0	0.6
MEUS184K630-16.5P15S		0.18	16.5	11.2	7.2	15.0	0.6	MEUS474K630-16.5P15S		0.47	16.5	17.5	11.3	15.0	0.6
MEUS224K630-16.5P15S		0.22	16.5	12.6	7.7	15.0	0.6								