

LOT DETAILS

Market Support - Surplus Sales | Lot 24.19 | Total Quantity (PCS): 268,344

Lot Summary

Warehouse	Los Angeles, California	Categories	Opto Devices
Number of Items	104	Total Quantity	268,344 PCS
Pallet Weight	Coming soon	Pallet Dimensions	Coming soon
Sales Term	Complete pallet lot; sold as-is; all sales final; no returns.	Lot	Lot 24.19

Items

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
1	4N26.300-QT-C	QT	Optoelectronics	C	DIP-6	1	1,000	4N26.300	Optocouplers,Phototransistor Output,VDE0884,CTR >=20%,IF=80mA,Vceo >=30V,Viso >=5300Vrms,VF=1.2V(Typ.),Vio>=1500V,Vce(Sat) <=0.5V,in DIP-6 PKG
2	4N36-QT-C	QT	Optoelectronics	C	DIP-6	1	450	4N36	Optocouplers,Phototransistor Output,CTR >=100%,IF=60mA,Vceo >=30V,Viso >=5300Vrms,Vio=2500V,Vce(Sat) <=0.3V, in DIP-6 PKG.
3	CNW11AV-2-QT-C	QT	Optoelectronics	C	DIP-6	1	1,050	CNW11AV-2	Optocouplers/TR Output, CTR >=50%, Vceo >=70V, Viso >=4000Vrms, Typical ton=15us, toff=15us, in DIP-6
4	CNW139-QT-C	QT	Optoelectronics	C	DIP-8	1	2,480	CNW139	High Gain Split Optocouplers/Darlington Output, CTR >=500%, Vis >=5000Vrms, Vce(Sat) <=0.4V, Typical ton=1.0us, toff=7.0us, in DIP-8
5	CNY17-1-QT-C	QT	Optoelectronics	C	DIP-6	1	3,300	CNY17-1	Optocouplers/TR Output, CTR 40~80%, Vceo >=70V, Viso >=5300Vrms, Vce(Sat) <=0.4V, Typical ton=10us, toff=10us, in DIP-6
6	CNY17-4-QT-C	QT	Optoelectronics	C	DIP-6	1	5,250	CNY17-4	Optocouplers/TR Output, CTR 160~320%, Vceo >=70V, Viso >=5300Vrms, Vce(Sat) <=0.4V, Typical ton=10us, toff=10us, in DIP-6
7	CNY17F-1-QT-C	QT	Optoelectronics	C	DIP-6	1	4,850	CNY17F-1	Optocouplers/TR Output/GaAs Input, CTR 40~80%, Vceo >=70V, Viso >=5300Vrms, Vce(Sat) <=0.4V, Typical ton=10us, toff=10us, No Base Connection, in DIP-6
8	EL31-01SURC-EL-C	EL, EVERLIGHT	Optoelectronics	C	W3	1	1,200	-	3mm Piranha, Super Red LED,AIGaInP, 624nm,1310mIm(Typ.)at 70mA, Water clear, 50 Degree, in Tube Packing
9	EL31-01URC-EL-C	EL, EVERLIGHT	Optoelectronics	C	-	1	1,800	-	High Power Piranha, Super Red(GaAIs, 643nm), Water clear, 50 degree Viewing Angle
10	EL333HD/TR1-2-R-EL-TR	EL, EVERLIGHT	Optoelectronics	TR	R5	3	21,000	-	5mm(T-1 3/4) Round,Cut Flange,Bright Red LED,GaP,650nm,1.0(Typ.)at 10mA,60 Degree,in Reel Packing.
11	EL91-21EC/TR7-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	15,000	-	SMD LF Type,1.9 mm Round,G-Bend,Hi-Eff Red LED,GaAsP/GaP, 625nm, 24mcd(Typ.)at 20mA,25 Degree,in Reel Packing.
12	EL91-21EC/TR9-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	16,000	-	SMD LF Type,1.9 mm Round,Y-Bend,Hi-Eff Red LED,GaAsP/GaP 625nm, 24mcd(Typ.)at 20mA,25 Degree,in Reel Packing.
13	EL91-21GC/TR7-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	12,000	-	SMD LF Type,1.9 mm Round,G-Bend,Green LED, GaP, 565nm,21mcd(Typ.)at 20mA,25 Degree,in Reel Packing
14	ELB1001EWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	1,083	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red LED,GaAsP, 625nm,Gray,2.8mcd(Typ.)at 10mA(K Bin), in Tube Packing.
15	ELB1001EWA(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	2	2,204	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red LED,GaAsP, 625nm,Gray,2.8mcd(Typ.)at 10mA(L Bin), in Tube Packing.
16	ELB1001EWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	19	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red LED,GaAsP, 625nm,Gray,2.8mcd(Typ.)at 10mA(M Bin), in Tube Packing.
17	ELB1001GWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	3	190	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Green LED,Gap 570nm,Gray,3.0mcd(Typ.)at 10mA(K Bin), in Tube Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
18	ELB1001IDR-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	950	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red,GaAsP 625nm, 1.45mcd(Typ.)at 10mA, Red, in Tube Packing
19	ELB1001YWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	19	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Yellow LED,GaAsP, 590nm,Gray,1.5mcd(Typ.)at 10mA(K Bin), in Tube Packing
20	ELB1001YWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	703	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Yellow LED,GaAsP, 590nm,Gray,1.5mcd(Typ.)at 10mA(M Bin), in Tube Packing
21	ELD316IDR(H)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	2	3,424	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(H bin), in Tube Packing
22	ELD316IDR(J)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	1	2,272	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(J bin), in Tube Packing
23	ELD316IDR(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	2	2,816	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(K bin), in Tube Packing
24	ELD316IDR(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	3	9,888	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(L bin),in Tube Packing
25	ELD316IDR(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	2	2,464	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red, 1.8mcd(Typ.)at 10mA,Common Anode(M bin),in Tube Packing
26	ELD511HDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D56H8	2	1,120	-	0.56" Dual Digit Displays,Bright Red,GaP, 650nm,Red,0.4mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
27	ELD511HDB(H)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D56H8	1	140	-	0.56" Dual Digit Displays,Bright Red,GaP, 650nm,Red,0.4mcd(Typ.)at 10mA,Common Cathode(H Bin), in Tube Packing
28	ELD511IDR-EL-C	EL, EVERLIGHT	Optoelectronics	C	D56H8	2	1,640	-	0.56" Dual Digit Displays,Hi-Eff Red,GaAsP, 625nm,Red,2.0mcd(Typ.)at 10mA,Common Cathode, in Bulk Packing
29	ELF511EWA(J)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	1	70	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(J Bin), in Tube Packing
30	ELF511EWA(K)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	1	60	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(K Bin), in Tube Packing
31	ELF511EWA(L)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	2	780	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(L Bin), in Tube Packing
32	ELF511EWA(M)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	1	90	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(M Bin), in Tube Packing
33	ELM2001IDR(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C2115	1	182	-	2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row(L Bin), in Tube Packing
34	ELM2001IDR(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C2115	2	338	-	2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row(M Bin), in Tube Packing
35	ELS1002EWA(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S1RH4	2	990	-	1.0" Single Digit Display,Hi-Eff Red,GaAsP, 625nm,Gray,4.0mcd(Typ.)at 10mA,Common Anode(P Bin), in Tube Packing
36	ELS2325IDR(N)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S230H0	1	70	-	2.3" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Red,Common Cathode(N Bin), in Tube Packing
37	ELS2325IDR(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S230H0	2	180	-	2.3" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Red,Common Cathode(P Bin), in Tube Packing
38	ELS2326SRDR(S)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S2R3H0	3	280	-	2.3" Single Digit Displays,Deep Hyper Red,GaAlAs,643nm,Red,11mcd(Typ.)at 10mA,Common Anode(S Bin), in Tube Packing
39	ELS2326SRDR-EL-B	EL, EVERLIGHT	Optoelectronics	B	S2R3H0	3	270	-	2.3" Single Digit Displays,Deep Hyper Red,GaAlAs,643nm,Red,11mcd(Typ.)at 10mA,Common Anode, in Bulk Packing
40	ELS301HDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V0	1	832	-	0.3" Single Digit Display,Low Current Bright Red,GaP, 650nm,Black,0.3mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
41	ELS315SRWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	105	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)@10mA,Common Cathode
42	ELS315SRWA(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	630	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)at 10mA,Common Cathode,(P Bin), in Tube Packing.
43	ELS315SRWA(Q)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	2,100	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)at 10mA,Common Cathode,(Q Bin), in Tube Packing.
44	ELS315SRWA(R)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	2,065	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)at 10mA,Common Cathode,(R Bin), in Tube Packing.
45	ELS321HDB(F)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V4	2	2,964	-	0.3" Single Digit Display,Low Current Bright Red,GaP, 650nm,Black, 0.3mcd(Typ.)at 10mA,Common Cathode,(F Bin), in Tube Packing
46	ELS321RDB(D)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V4	2	104	-	0.3" Single Digit Display,Hyper Red,GaAsP, 645nm,Black, 0.5mcd(Typ.)at 10mA,Common Cathode(D Bin), in Tube Packing
47	ELS321RDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V4	1	78	-	0.3" Single Digit Display,Hyper Red,GaAsP, 645nm,Black, 0.5mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
48	ELS422EWA(H)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	1	52	-	0.43" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Gray, 1.7mcd(Typ.)at 10mA,Common Anode(H Bin), in Tube Packing
49	ELS422EWA(J)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	2	2,002	-	0.43" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Gray, 1.7mcd(Typ.)at 10mA,Common Anode(J Bin), in Tube Packing
50	ELS422EWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	2	910	-	0.43" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Gray, 1.7mcd(Typ.)at 10mA,Common Anode(K Bin), in Tube Packing
51	ELS422HWB(E)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	1	1,352	-	0.43" Single Digit Display,Low Current Bright Red,GaP, 650nm,Black,0.5mcd(Typ.)at 10mA,Common Anode(E Bin), in Tube Packing
52	ELS511HDB(F)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	560	-	0.56" Single Digit Display, Bright Red, Gap 650nm,Black,0.36mcd(Typ.)at 10mA,Common Cathode(F Bin), in Tube Packing
53	ELS511HDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	680	-	0.56" Single Digit Display, Bright Red, Gap 650nm,Black,0.36mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
54	ELS511IDR(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	40	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
55	ELS511IDR(J)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	720	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(J Bin),in Tube Packing
56	ELS511IDR(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	4	6,880	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(K Bin),in Tube Packing
57	ELS511IDR(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	3	320	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(L Bin),in Tube Packing
58	ELS511IDR(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	200	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(M Bin), in Tube Packing
59	ELS511IDR(N)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	40	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(N Bin), in Tube Packing
60	ELS512GWA(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	520	-	0.56" Single Digit Display,Green ,GaP 570nm,Gray,3.40mcd(Typ.)at 10mA,Common Anode(L Bin), in Tube Packing
61	ELS512GWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	2	2,120	-	0.56" Single Digit Display,Green ,GaP 570nm,Gray,3.40mcd(Typ.)at 10mA,Common Anode(M Bin), in Tube Packing
62	ELS515GWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	40	-	0.52" Single Digit Display,Green,GaP 570nm,Gray,6.3mcd(Typ.)at 10mA,Common Cathode(K Bin), in Tube Packing
63	ELS515GWA-EL-TU	EL, EVERLIGHT	Optoelectronics	TU	S52H0	1	3,520	-	0.52" Single Digit Display,Green,GaP,570nm,Gray,6.3mcd(Typ.)at 10mA,Common Cathode, in Tube Packing, RoHS
64	ELS516EWA(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	800	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Anode(L Bin), in Tube Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
65	ELS516EWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	160	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Anode(M Bin), in Tube Packing
66	ELS516EWA(N)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	80	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Anode(N Bin), in Tube Packing
67	FND317C-QT-C	QT	Optoelectronics	C	S36V0	1	25	-	0.362 INCH RED 7 SEGMENT DISPL
68	GMC2975C-QT-C	QT	Optoelectronics	C	C2115	1	40	-	2.0 INCH RED/GREEN/YELLOW/RED-
69	GMC7175CA-QT-C	QT	Optoelectronics	C	C0705	1	28	-	0.70 INCH RED/GREEN/YELLOW DOT
70	H11AA3-QT-C	QT	Optoelectronics	C	DIP-6	1	50	H11AA3	Optocouplers/TR Output/AC Input, CTR>=50%, Vceo>=30V, Vce(Sat)<=0.4V, Iceo<=50nA, Viso>=5300VAC(rms), 1 min, in DIP-6 package
71	H11B255-QT-C	QT	Optoelectronics	C	DIP-6	1	900	H11B255	Optocouplers/Darlington Output, CTR >=100%, Vceo >=55V, Viso >=5300Vrms, Vce(Sat) <=1.0V, in DIP-6
72	H11C5-QT-C	QT	Optoelectronics	C	DIP-6	1	50	-	Photocoupler/SCR output, IFT<=20MA at 50V, VDM>=400V, in DIP-6
73	H11D1-QT-C	QT	Optoelectronics	C	DIP-6	2	450	H11D1	High Voltage Optocouplers/TR Output/GaAs Input, CTR >=20%, Vceo >=300V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
74	H11D4.300-QT-C	QT	Optoelectronics	C	DIP-6	1	1,000	H11D4.300	High Voltage Optocouplers/TR Output/GaAs Input-VDE0884, CTR >=10%, Vceo >=200V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
75	H11F3-QT-C	QT	Optoelectronics	C	DIP-6	1	50	-	Photocoupler, FET Output, BV>=15V, RDS(on)<=470 OHMS, in Dip-6 Package
76	H11G2-QT-C	QT	Optoelectronics	C	DIP-6	2	11,800	H11G2	High Voltage Optocouplers/Darlington Output/GaAs Input, CTR >=1000%, Vceo >=80V, Viso >=5300Vrms, Vce(Sat) <=1.0V, in DIP-6
77	H11G2.300-QT-C	QT	Optoelectronics	C	DIP-6	1	850	H11G2.300	High Voltage Optocouplers/Darlington Output/GaAs Input-VDE0884, CTR >=100%, Vceo >=80V, Viso >=5300Vrms, Vce(Sat) <=1.0V, in DIP-6
78	H11G3-QT-C	QT	Optoelectronics	C	DIP-6	2	1,250	H11G3	High Voltage Optocouplers/Darlington Output/GaAs Input, CTR >=200%, Vceo >=55V, Viso >=5300Vrms, Vce(Sat) <=1.2V, in DIP-6
79	HCPL-2601-QT-C	QT	Optoelectronics	C	DIP-8	1	3,300	HCPL-2601	Optocouplers/Very High Speed Logic Gate Output, Viso >=2500Vrms, Typical Data Rate=10Mbit/s, Output Current TTL-loads=8.0, Propagation Delay Time Tphl=0.075ns,Tplh=0.075ns, in DIP-8
80	HCPL-2631-QT-C	QT	Optoelectronics	C	DIP-8	1	5,500	HCPL-2631	Optocouplers/Very High Speed Logic Gate Output/AlGaAs-GaAsP Input, Viso >=2250Vrms, Ift=5.0mA,Vcc=5.5V,Vol=0.6V, Typical Tphl=0.075us,Tplh=0.075us, in DIP-8
81	HCPL-2730-QT-C	QT	Optoelectronics	C	DIP-8	1	4,700	HCPL-2730	Optocouplers/Dual Split Darlington Output/AlGaAs Input, Viso >=2500Vrms, Ift=1.6mA,Vcc=7.0V,Vol=0.4V, Typical Tphl=20us,Tplh=35+us, in DIP-8
82	HLMP-2655-QT-C	QT	Optoelectronics	C	C0404	1	150	-	8 Pin In-Line Light Bar (0.35" x 0.35"), GaAsP Red, Hi-Eff 630nm, White Diffused, typ. 43mcd(If=20mA), typ. 50mcd(If=60mA)
83	HLMP-2885-QT-C	QT	Optoelectronics	C	C0804	2	125	-	16 Pin In-Line Light Bar (0.35" x 0.70"), GaP Green 565nm, Color Diffused, typ. 50mcd(If=20mA), typ. 75mcd(If=60mA)
84	HLMP-3850A-QT-B	QT	Optoelectronics	B	R5	2	40,000	-	5mm(T-1 3/4) Round,Cut Flange with Stopper,Yellow LED,PL=585nm,150mcd(Typ)at 20mA, 24 Degree,in Bulk Packing
85	MAN4610A-QT-C	QT	Optoelectronics	C	S40V4	1	25	-	0.4" Single Digit Display,Reddish Orange,GaAsP 630nm,Color Diffused,1800ucd(Typ.)@10mA,Orange,Common Anode
86	MAN4740A-QT-C	QT	Optoelectronics	C	S40V4	1	25	-	0.4" Single Digit Display,Hyper Red,GaAsP 660nm,Color Diffused,350ucd(Typ.)@10mA,Black,Common Cathode
87	MAN5350-QT-C	QT	Optoelectronics	C	S51H0	1	240	-	0.51" Single Digit Display,Yellow,GaAsP 585nm,White Diffused,1200ucd(Typ.)@10mA,Gray,Common Anode
88	MAN5450-QT-C	QT	Optoelectronics	C	S51H0	1	40	-	0.51" Single Digit Display,Green,GaAsP 565nm,White Diffused,3000ucd(Typ.)@10mA,Gray,Common Anode
89	MAN6950-QT-C	QT	Optoelectronics	C	K56H8	1	120	-	0.56" Digit +/-1.8 Display,Hi-Eff Red,GaAsP 635nm(Peak Wavelength),Red,2200ucd(Typ.)@10mA,Common Cathode
90	MAN8240-QT-C	QT	Optoelectronics	C	S80V4	1	20	-	0.8" Single Digit Display,Deep Hyper Red,GaAIAs 660nm,Color Diffused,3500ucd(Typ.)@5mA,Gray,Common Cathnode

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
91	MCT2-QT-C	QT	Optoelectronics	C	DIP-6	1	50	MCT2	Optocouplers/TR Output, CTR >=20%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
92	MCT210-QT-C	QT	Optoelectronics	C	DIP-6	2	100	MCT210	Optocouplers/TR Output, CTR >=150%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
93	MCT271-QT-C	QT	Optoelectronics	C	DIP-6	1	150	MCT271	Optocouplers/TR Output, CTR 45~90%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, Typical ton=7.0us, toff=7.0us, in DIP-6
94	MCT2E-QT-C	QT	Optoelectronics	C	DIP-6	1	100	MCT2E	Optocouplers/TR Output, CTR >=20%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
95	MCT5211-QT-C	QT	Optoelectronics	C	DIP-6	1	2,000	MCT5211	Optocouplers/TR Output/AIGaAs Input, CTR >=150%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, in DIP-6
96	MOC3021-QT-C	QT	Optoelectronics	C	DIP-6	1	150	-	Optocoupler -Traic Output (240VAC), Ift<=15mA, Vdrm=400V, Idm<=100nA, Itsm=1A@1ms, Vtm<=3V, Ih(typ)=100uA, Viso >7500VAC(pk) in DIP-6
97	MOC8111-QT-C	QT	Optoelectronics	C	DIP-6	1	1,200	MOC8111	Optocouplers/TR Output/GaAs Input, CTR >=20%, Vceo >=30V, Viso >=5300Vrms, Vce(Sat) <=0.4V, Typical ton=10us, toff=10us, in DIP-6
98	MV5055-QT-B	QT	Optoelectronics	B	R5	1	500	-	5mm (T-1 3/4) Round , Cut Flange, Red LED, GaAsP, 660nm, 0.3mcd(Tpy.) at 20mA, Color Diffused, 150 degree Viewing Angle, in Bulk Packing
99	MV5491A-QT-B	QT	Optoelectronics	B	R5	3	13,250	-	5mm(T-1 3/4) Round, Cut Flange,2-lead, Red LED, GaAlAs, 650nm, Green LED, GaP, 568nm, 6mcd(Tpy.) at 20mA, White Diffused,100 Degree, with Stopper, Green Cathode, in Bulk Packing.
100	MV57164-QT-C	QT	Optoelectronics	C	C1004	1	360	-	10 Bar Graph Display, GaAsP Red, Hi-Eff 630nm, Gray, typ. 510mcd(If=10mA),
101	MV5753-QT-B	QT	Optoelectronics	B	R5	1	20,000	-	5mm (T-1 3/4) Round, Cut Flange, Deep Red LED, GaAsP, 635nm, 15mcd (Tpy.) at 20mA, Color Diffused, 65 degree Viewing Angle, in Bulk Packing
102	MV6353-QT-B	QT	Optoelectronics	B	R5	1	10,000	-	5mm (T-1 3/4) Round, Cut Flange, Super Yellow LED, GaAsP, 585nm, 15mcd(Tpy.) at 20mA, Color Diffused, 65 degree Viewing Angle, in Bulk Packing
103	MV8103-QT-B	QT	Optoelectronics	B	R5	1	1,500	-	5mm (T-1 3/4) Round , Cut Flange, Red LED, GaAsP, 660nm, 940mcd(Tpy.) at 20mA, Water Clear, 20 degree Viewing Angle, in Bulk Packing
104	TLN-G3R5-3525-QT-B	QT	Optoelectronics	B	R5	1	750	-	5mm (T-1 3/4) Round , Cut Flange, Green LED, GaP, 565nm, 25mcd(Tpy.) at 20mA, Color Tinted, 35 degree Viewing Angle, in Bulk Packing

Terms of Sale

All sales are final. Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.