# LOT DETAILS

**Market Support - Surplus Sales** | Lot 24.26 | Total Quantity (PCS): 1,114,900

## Lot Summary

| | | | |
|---|---|---|---|
| **Warehouse** | Los Angeles, California | **Categories** | Semiconductors |
| **Number of Items** | 93 | **Total Quantity** | 1,114,900 PCS |
| **Pallet Weight** | 832.0 lb (377.4 kg) | **Pallet Dimensions** | 49.0 x 43.0 x 68.0 in (124.5 x 109.2 x 172.7 cm) |
| **Sales Term** | Complete pallet lot; sold as-is; all sales final; no returns. | **Lot** | Lot 24.26 |

## Items

| # | Part Number | Brand | Category | Package | Outline | Cartons | Quantity | Datasheet | Description |
|---|---|---|---|---|---|---|---|---|---|
| 1 | **1.5KE12CA/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | 1.5KE | 1 | 1,400 | 1.5KE6.8A | 1500W 12Vbr 5% Bi-dir TVS in 1.5KE |
| 2 | **1.5KE82A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | 1.5KE | 1 | 1,400 | 1.5KE6.8A | 1500W 82Vbr 5% Uni-dir TVS in 1.5KE |
| 3 | **1N3611GP/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-41 | 2 | 11,000 | - | RECTIFIER - SUPER RECTIFIER - 1A 200V in DO-41 PKG |
| 4 | **1N4150/D7-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-35 | 2 | 60,000 | 1N4150 | SWITCHING DIODE IN DO-35 PKG, SPECIAL VF |
| 5 | **1N5623/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-204AP | 1 | 4,500 | - | 1A,1000V,500ns,Sinter Glass Body Rectifier,in DO-204AP PKG |
| 6 | **BAS20/E9-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOT-23 | 1 | 3,000 | BAS19 | 200V, 50ns, SWITCHING DIODE in SOT-23 Package |
| 7 | **BAS40/E9-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOT-23 | 1 | 12,000 | BAS40 | 40V,0.2A, S.S. PLASTIC SM SCHOTTKY |
| 8 | **BAT41/D7-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-35 | 1 | 10,000 | BAT41 | 100V,0.1A, S.S. GLASS SCHOTTKY |
| 9 | **BC807-16/E9-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOT-23 | 1 | 33,000 | BC807-16 | PNP, PLASTIC SM TRANSISTOR |
| 10 | **BYV26D/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-204AP | 1 | 4,500 | - | Ultra Fast Avalanche Sinterglass Diode, 1A 800V, 75ns, ER=10mj,in DO-204AP PKG |
| 11 | **BZX84C3V3/E9-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOT-23 | 1 | 24,000 | BZX84C2V4 | 0.35W Plastic SMD Zener, 5%, in SOT-23 PKG |
| 12 | **BZX84C8V2/E9-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOT-23 | 1 | 6,000 | BZX84C2V4 | 0.35W Plastic SMD Zener, 5%, in SOT-23 PKG |
| 13 | **EGL41D/25-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | MELF | 1 | 4,500 | - | 1A,200V,50NS,SUPERECTIFIER,SMD,in MELF PKG |
| 14 | **EGP10D/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-41 | 1 | 5,500 | EGP10A | 1A,200V,50ns,VF<=0.95V,F.EFF Superectifier in DO-41 PKG |
| 15 | **ES1B/11-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMA | 1 | 14,400 | ES1A | 1A,100V,15ns,VF<=0.92V,UF Rectifier,in SMA PKG |
| 16 | **ES3D/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 5 | 30,600 | ES3A | Io=3A,Vrrm=200V,Super Fast Rectifer,Ifsm=100A,Vf=0.95V,Packaged in SMC PKG |
| 17 | **ES3G/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 3 | 12,750 | ES3A | Io=3A,Vrrm=400V,Super Fast Rectifer,Ifsm=100A,Vf=1.10V,Packaged in SMC PKG |
| 18 | **FE3D/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | G4 | 1 | 2,000 | - | 3A, 200V,35NS,SUPERFAST Glass Body Rectifier,in G4 PKG |

| # | Part Number | Brand | Category | Package | Outline | Cartons | Quantity | Datasheet | Description |
|---|---|---|---|---|---|---|---|---|---|
| 19 | **GBPC12-08W/1-GSI-BL** | GSI, General Semiconductor | Discrete | BL | GBPC-W | 1 | 100 | - | 12A, 800V, Wire Lead, GPP,Square Bridge Rectifier Non-RoHS |
| 20 | **GBPC25-04W/1-GSI-BL** | GSI, General Semiconductor | Discrete | BL | GBPC-W | 1 | 400 | GBPC25-005W | 25 AMP GLASS PASSIVATED SINGLE |
| 21 | **GF1G/17-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | GF1 | 1 | 21,000 | GF1A | 1A,400V,STD,SMD. SUPERECTIFIER,in GF1 PKG |
| 22 | **GL34B/32-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | M-MELF | 4 | 197,500 | GL34A | 0.5A,100V,STD, SUPERECTIFIER,in M-MELF PKG |
| 23 | **GL41J/25-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | MELF | 1 | 3,000 | GL41A | 1A,600V,STD, SUPERECTIFIER,in MELF PKG |
| 24 | **GL41M/25-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | MELF | 1 | 3,000 | GL41A | 1A,1000V,STD, SUPERECTIFIER,in MELF PKG |
| 25 | **GP30G/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-201AD | 2 | 4,200 | GP30A | 3A,400V,STD, SUPERECTIFIER,in DO-201AD PKG |
| 26 | **MMSZ5235B/D4-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOD-123 | 1 | 3,000 | MMSZ5221B | 0.5W Plastic SMD Zener, 5%, in SOD-123 PKG |
| 27 | **MMSZ5252B/D4-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SOD-123 | 1 | 3,000 | MMSZ5221B | 0.5W Plastic SMD Zener, 5%, in SOD-123 PKG |
| 28 | **P6KE200A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 6 | 28,000 | P6KE6.8A | 600W 200Vbr 5% Uni-dir TVS in DO-15 |
| 29 | **P6KE220A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 3 | 28,000 | P6KE6.8A | 600W 220Vbr 5% Uni-dir TVS in DO-15 |
| 30 | **P6KE51A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | P6KE6.8A | 600W 51Vbr 5% Uni-dir TVS in DO-15 |
| 31 | **P6KE68A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 2 | 16,000 | P6KE6.8A | 600W 68Vbr 5% Uni-dir TVS in DO-15 |
| 32 | **P6SMB22A/2-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMB | 1 | 750 | P6SMB6.8A | 600W TVS, Vbr 20.9V-23.1V, in SMB pkg, Marking: LK |
| 33 | **RS1G/11-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMA | 1 | 1,800 | RS1A | 1A,400V,SM RECTIFIER,in SMA PKG |
| 34 | **RS2D/2-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMB | 1 | 6,000 | RS2A | 1.5A,200V,150nS,SMD FR Rectifier,in SMB PKG |
| 35 | **S2B/2-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMB | 1 | 5,250 | S2A | 1.5A,100V,GPP,STD,SM RECT,in SMB PKG |
| 36 | **S2G/2-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMB | 1 | 12,000 | S2A | 1.5A,400V,GPP,STD,SM RECT,in SMB PKG |
| 37 | **S2J/2-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMB | 1 | 1,500 | S2A | 1.5A,600V,GPP,STD,SM RECT,in SMB PKG |
| 38 | **S3D/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 1 | 4,250 | S3A | 3.0A,200V,SMC RECTIFIER SGPP,in SMC PKG |
| 39 | **SA14CA/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 14Vwm 5% Bi-dir TVS in DO-15 |
| 40 | **SA170A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 2 | 20,000 | SA5.0A | 500W 170Vwm 5% Uni-dir TVS in DO-15 |
| 41 | **SA170CA/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 170Vwm 5% Bi-dir TVS in DO-15 |
| 42 | **SA18A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 18Vwm 5% Uni-dir TVS in DO-15 |
| 43 | **SA43CA/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 43Vwm 5% Bi-dir TVS in DO-15 |
| 44 | **SA45A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 45Vwm 5% Uni-dir TVS in DO-15 |

| # | Part Number | Brand | Category | Package | Outline | Cartons | Quantity | Datasheet | Description |
|---|---|---|---|---|---|---|---|---|---|
| 45 | **SA6.0CA/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 6.0Vwm 5% Bi-dir TVS in DO-15 |
| 46 | **SA60CA/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 60Vwm 5% Bi-dir TVS in DO-15 |
| 47 | **SA8.0A/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SA5.0A | 500W 8.0Vwm 5% Uni-dir TVS in DO-15 |
| 48 | **SAC5.0/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 1 | 4,000 | SAC5.0 | 500W 5.0Vwm 10% Uni-dir LC TVS in DO-15 |
| 49 | **SMAJ54CA/11-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMA | 1 | 1,800 | SMAJ5.0A | 400W 54Vwm 5% Bi-dir TVS in SMA |
| 50 | **SMBG160A/2-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMBG | 1 | 6,000 | - | 600W,160V,5%,Unidir,Transzorb-TVS in SMBG |
| 51 | **SMBG17A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMBG | 1 | 7,500 | - | 600W,17V,5%,Unidir,Transzorb-TVS in SMBG |
| 52 | **SMBG40A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMBG | 1 | 5,250 | - | 600W,40V,5%,Unidir,Transzorb-TVS in SMBG |
| 53 | **SMBG60A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMBG | 1 | 4,500 | - | 600W,60V,5%,Unidir,Transzorb-TVS in SMBG |
| 54 | **SMBG64A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMBG | 1 | 2,250 | - | 600W,64V,5%,Unidir,Transzorb-TVS in SMBG |
| 55 | **SMBG7.0A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMBG | 2 | 25,500 | - | 600W,7.0V,5%,Unidir,Transzorb-TVS in SMBG |
| 56 | **SMBG7.5CA/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMBG | 1 | 3,000 | - | 600W,7.5V,5%,Bidir,Transzorb-TVS in SMBG |
| 57 | **SMBJ100A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 1 | 4,500 | SMBJ5.0A | 600W 100Vwm 5% Uni-dir GP TVS in SMB |
| 58 | **SMBJ100CA/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 1 | 750 | SMBJ5.0A | 600W 100Vwm 5% Bi-dir GP TVS in SMB |
| 59 | **SMBJ10A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 2 | 30,000 | SMBJ5.0A | 600W 10Vwm 5% Uni-dir GP TVS in SMB |
| 60 | **SMBJ120A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 1 | 9,000 | SMBJ5.0A | 600W 120Vwm 5% Uni-dir GP TVS in SMB |
| 61 | **SMBJ15A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 4 | 48,750 | SMBJ5.0A | 600W 15Vwm 5% Uni-dir GP TVS in SMB |
| 62 | **SMBJ18CA/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 1 | 12,000 | SMBJ5.0A | 600W 18Vwm 5% Bi-dir GP TVS in SMB |
| 63 | **SMBJ24A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 4 | 24,000 | SMBJ5.0A | 600W 24Vwm 5% Uni-dir GP TVS in SMB |
| 64 | **SMBJ58CA/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 1 | 6,000 | SMBJ5.0A | 600W 58Vwm 5% Bi-dir GP TVS in SMB |
| 65 | **SMBJ75A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 2 | 27,000 | SMBJ5.0A | 600W 75Vwm 5% Uni-dir GP TVS in SMB |
| 66 | **SMBJ78A/2-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMB | 1 | 13,500 | SMBJ5.0A | 600W 78Vwm 5% Uni-dir GP TVS in SMB |
| 67 | **SMCG110A/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMCG | 1 | 9,000 | - | 1.5KW,110V,5%,Unidir,Transzorb-TVS in SMCG |
| 68 | **SMCG170A/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMCG | 1 | 2,550 | - | 1.5KW,170V,5%,Unidir,Transzorb-TVS in SMCG |
| 69 | **SMCG40CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMCG | 1 | 850 | - | 1.5KW,40V,5%,Bidir,Transzorb-TVS in SMCG |
| 70 | **SMCG43A/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMCG | 1 | 850 | - | 1.5KW,43V,5%,Unidir,Transzorb-TVS in SMCG |

| # | Part Number | Brand | Category | Package | Outline | Cartons | Quantity | Datasheet | Description |
|---|---|---|---|---|---|---|---|---|---|
| 71 | **SMCG60A/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMCG | 1 | 900 | - | 1.5KW,60V,5%,Unidir,Transzorb-TVS in SMCG |
| 72 | **SMCJ110CA/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 1 | 3,600 | SMCJ5.0A | 1.5KW,110Vwm 5% Bi-dir GP TVS in SMC |
| 73 | **SMCJ120A/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 1 | 9,900 | SMCJ5.0A | 1.5KW,120Vwm 5% Uni-dir GP TVS in SMC |
| 74 | **SMCJ150CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 1 | 850 | SMCJ5.0A | 1.5KW,150Vwm 5% Bi-dir GP TVS in SMC |
| 75 | **SMCJ15CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 1 | 6,800 | SMCJ5.0A | 1.5KW,15Vwm 5% Bi-dir GP TVS in SMC |
| 76 | **SMCJ160CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 5 | 25,500 | SMCJ5.0A | 1.5KW,160Vwm 5% Bi-dir GP TVS in SMC |
| 77 | **SMCJ16CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 2 | 8,500 | SMCJ5.0A | 1.5KW,16Vwm 5% Bi-dir GP TVS in SMC |
| 78 | **SMCJ28CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 3 | 8,500 | SMCJ5.0A | 1.5KW,28Vwm 5% Bi-dir GP TVS in SMC |
| 79 | **SMCJ36CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 1 | 850 | SMCJ5.0A | 1.5KW,36Vwm 5% Bi-dir GP TVS in SMC |
| 80 | **SMCJ40CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 4 | 19,550 | SMCJ5.0A | 1.5KW,40Vwm 5% Bi-dir GP TVS in SMC |
| 81 | **SMCJ54A/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 1 | 7,650 | SMCJ5.0A | 1.5KW,54Vwm 5% Uni-dir GP TVS in SMC |
| 82 | **SMCJ58A/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 1 | 850 | SMCJ5.0A | 1.5KW,58Vwm 5% Uni-dir GP TVS in SMC |
| 83 | **SMCJ58CA/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 2 | 10,200 | SMCJ5.0A | 1.5KW,58Vwm 5% Bi-dir GP TVS in SMC |
| 84 | **SMCJ6.5A/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 1 | 5,950 | SMCJ5.0A | 1.5KW,6.5Vwm 5% Uni-dir GP TVS in SMC |
| 85 | **SMCJ7.5A/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 1 | 3,600 | SMCJ5.0A | 1.5KW,7.5Vwm 5% Uni-dir GP TVS in SMC |
| 86 | **SMCJ70A/7-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | SMC | 2 | 4,250 | SMCJ5.0A | 1.5KW,70Vwm 5% Uni-dir GP TVS in SMC |
| 87 | **SMCJ78A/7-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMC | 1 | 1,800 | SMCJ5.0A | 1.5KW,78Vwm 5% Uni-dir GP TVS in SMC |
| 88 | **SML4748A/11-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | SMA | 1 | 1,800 | - | 1W Zener, 22V, 5%, in SMA PKG |
| 89 | **TGL41-62A/46-GSI-T70** | GSI, General Semiconductor | Discrete | T70 | MELF | 1 | 1,500 | TGL41-6.8 | 400W 62Vbr 5% Uni-dir TVS in MELF |
| 90 | **UG2D/4-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-15 | 2 | 12,000 | - | 2A,200V,15NS,ULTRAFAST RECT,in DO-15 PKG |
| 91 | **ZM4728A-GSI-T** | GSI, General Semiconductor | Discrete | T | MELF(G) | 1 | 75,000 | ZM4728A | 1W Glass SMD Zener, 3.3V, 5%, in MELF(G) PKG |
| 92 | **ZM4739A/25-GSI-T71** | GSI, General Semiconductor | Discrete | T71 | MELF(G) | 1 | 16,500 | ZM4728A | 1W Glass SMD Zener, 9.1V, 5%, in MELF(G) PKG |
| 93 | **ZY100/E3-GSI-T30** | GSI, General Semiconductor | Discrete | T30 | DO-41 | 1 | 5,000 | ZY11 | 2W Plastic Zener Diode, 100V, 5%, in DO-41 PKG |

## Terms of Sale

**All sales are final.** Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.